



**GRAND  
POWER**  
S.r.o.

**HIGH QUALITY FIREARMS**

# INTRO

Dear Customer,

thank you for your interest in GRAND POWER products. This catalogue represents the latest result of our effort to manufacture top quality handguns, which will provide a lifetime of enjoyment and safety for our customers, ranging from IPSC, IDPA and sport shooters of other disciplines, as well as law enforcement/military professionals and those who take their safety and the safety of their loved ones seriously.

The GRAND POWER company was founded in Slovakia in 2002. We are proudly building on a long tradition of Czechoslovak firearms, utilizing our own and unique designs and construction methods, using state of the art technologies and materials, employing highly skilled and passionate workers who live by our motto „Passion for precision“.

Through hard work and high standards, our company has achieved worldwide recognition with our core model - the K100 - the most universal model in our product range, alongside our flagship - the X-Calibur have brought us countless medals at many IPSC and other discipline matches. The X-Calibur continues to be an integral part of success for many sport shooters all over the world.

To cover the needs of our valued customers and wide variety of their needs and wishes, our product range now consists of more than 30 models of pistols in all major calibers, ranging from less lethal ammunition, through rimfire and centerfire cartridges, including the 10mm AUTO.

GRAND POWER is among the most successful Slovak exporters, with overseas sales accounting for 99% of its production, mostly for the USA, Russia, and the EU countries.

GRAND POWER products are modern and very high-quality firearms. Their exceptionality rests in a unique locking mechanism, which functions via barrel rotation on a rotating cross-pin. This solution is hugely different from other rotating barrel systems on the market and provides superior reliability, significantly reduced recoil and muzzle flip and improves accuracy and overall shooting comfort. The same level of comfort is provided for both left and right-handed shooters, thanks to fully ambidextrous controls straight from the factory, without any need of additional modifications to the gun and is further enhanced by four exchangeable backstraps to accommodate any hand.




  
**Jaroslav Kuracina**  
GRAND POWER Ltd.  
Owner & CEO



# INTRO

Our pistols incorporate a steel frame insert inside of a durable, exceptionally strong polyamide grip module. The steel frame insert and slide are milled from a single piece of high-quality CrMoV steel, heat treated to achieve the best results possible. No cast frames, only honest billet steel. Our barrels are made at our factory utilizing a highly accurate button rifling method. Tight tolerances on key dimensions result in superb accuracy, but still retain sufficient space for moving parts to function correctly. This makes for robust and reliable firearms with excellent accuracy. All surfaces are treated by QPQ - Tenifer technology (up to 750 HV) to provide exceptional corrosion and wear resistance during years of hard use.

All of the information and data contained in this catalog may be subject to change without further announcement. All dimensions are approximate. Pictures in this catalog are for illustrative purposes only, actual delivery may vary.



# X-CALIBUR MATCH CO



Caliber:	9mm Luger
Trigger mechanism:	DA/SA
Trigger pull weight:	30-35 N/15-18 N
Overall length:	220 mm
Height without magazine:	133.5 mm
Width:	48 mm
Barrel length:	127 mm
Weight w/o magazine:	888 g
Weight w empty magazine:	977 g
Standard magazine capacity:	15

The X-Calibur is our well-known, out of the box competition ready, flagship model. We offer two new modifications to further accommodate the needs of our customers, who asked for a heavier version as well as for an option to mount a red dot sight, in order to allow them to use their favorite X-Calibur for more and more disciplines of shooting sports.

There are two new options available - Match and Match CO, standing for Carry Optics. They both feature an additional 350g weight in the form of a solid steel dust cover which is further equipped with a full-length Picatinny rail for any accessories the shooter may want to attach to their X-Calibur. Additionally, the slide on the CO version is milled to accept mount bases for red dot sights. The red dot mount base can be replaced by a micrometric rear sight if needed. The additional weight on the front further reduces muzzle flip and recoil, making accurate follow-up shots significantly easier. Of course, the main feature of every X-Calibur, the rotating barrel, is present on both the Match and the Match CO version. Our X-Calibur is equipped with a clean, crisp trigger with a short reset. A DA/SA trigger fits most shooting disciplines.

## X-CALIBUR MATCH CO





# X-CALIBUR



The X-Calibur, being our flagship model, is ready for competition out of the box. Aggressive slide milling reduces the weight of the slide and can be used for press checks. Milling also reveals a heavy, fluted barrel offering an attractive, yet functional design and compliments the X-Calibur's exceptional shooting performance. A fiber-optic front sight combined with an adjustable, micrometric rear sight allow for quick sight acquisition and precise adjustment. We consider a crisp trigger with a short reset a standard on all of our pistols, however, these are further enhanced on our X-Calibur, giving you the best tool for your sport shooting.

Caliber:	9mm Luger
Trigger mechanism:	DA/SA
Trigger pull weight:	30-35 N/15-18 N
Overall length:	220 mm
Height without magazine:	133.5 mm
Width:	48 mm
Barrel length:	127 mm
Weight w/o magazine:	797 g
Weight w empty magazine:	885 g
Standard magazine capacity:	15

# X-CALIBUR



# K100 & P1 & P11



## K100

The K100, our core model with a DA/SA trigger mechanism and a rotating barrel is a result of incorporating the strictest requirements imposed on universal-sized handguns with ergonomics suitable for shooters of practical disciplines as well as for specialized units of LE/military forces. The dust cover is fitted with a universal tactical accessory rail. The Mk12 frame comes with four interchangeable backstraps.

Caliber:	9mm Luger
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	202.5 mm
Height without magazine:	133.5 mm
Width:	36 mm
Barrel length:	108 mm
Weight w/o magazine:	740 g
Weight w empty magazine:	820 g
Standard magazine capacity:	15



## P1

The P1 is a compact version of the K100, offering the same reliability, ergonomics and benefits of the rotating barrel design in a shorter package, more suitable for every day carry. The P1 also maintains the same Mk12 frame and a 15+1 magazine capacity as the K100 and offers a similar shooting experience and accuracy. Despite its shorter size, the P1 can compete with much larger pistols with ease.

Caliber:	9mm Luger
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	187.5 mm
Height without magazine:	133.5 mm
Width:	36 mm
Barrel length:	93 mm
Weight w/o magazine:	690 g
Weight w empty magazine:	770 g
Standard magazine capacity:	15



## P11

The P11 is our sub-compact 9mm pistol. It maintains the same fully ambidextrous operation, a rotating barrel design, a robust and reliable construction, materials and craftsmanship as its bigger brothers, while increasing concealability by shortening the barrel and slide, as well as accommodating a shorter and narrower grip.



Caliber:	9mm Luger
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	179 mm
Height without magazine:	118 mm
Width:	36 mm
Barrel length:	85 mm
Weight w/o magazine:	640 g
Weight w empty magazine:	737 g
Standard magazine capacity:	12



# Q100 & Q1 & Q1S



The Q100 brings a striker fired trigger to the GRAND POWER product line. Retaining all of the advantages of our famous K100 service pistols, the Q100 offers the same rotating barrel which reduces perceived recoil and muzzle flip. It provides fully ambidextrous controls, a Mk12 frame with four interchangeable backstraps, a 15 round magazine capacity, tool-free field strip, and adds a flat-faced trigger with a smooth and consistent trigger pull for accurate, repeatable shots. In addition to the safety mechanism known from the K100, a trigger safety is present on striker fired pistols to ensure safe operation.

Caliber:	9mm Luger
Trigger mechanism:	Striker fired
Trigger pull weight:	16 N
Overall length:	202.5 mm
Height without magazine:	133.5 mm
Width:	34 mm
Barrel length:	108 mm
Weight w/o magazine:	760 g
Weight w empty magazine:	840 g
Standard magazine capacity:	15



The Q1, a compact version of the Q100, shares many of the benefits of its bigger brother in a shorter, easy to carry and conceal form. Fully ambidextrous controls, four interchangeable backstraps as well as a 15+1 magazine capacity are maintained, while the difference in accuracy and overall performance of the pistols is virtually negligible.

Caliber:	9mm Luger
Trigger mechanism:	Striker fired
Trigger pull weight:	16 N
Overall length:	187.5 mm
Height without magazine:	133.5 mm
Width:	34 mm
Barrel length:	93 mm
Weight w/o magazine:	680 g
Weight w empty magazine:	760 g
Standard magazine capacity:	15



For everyday carry and better concealability, the Q1S combines a shorter, smaller frame you may find on our P11 with the slide and barrel of the Q1. It offers great concealability yet still provides an excellent 12+1 magazine capacity, as well as maintaining the benefits of a rotating barrel and a flat-faced trigger as found on the Q1.

Caliber:	9mm Luger
Trigger mechanism:	Striker fired
Trigger pull weight:	16 N
Overall length:	183 mm
Height without magazine:	119 mm
Width:	34 mm
Barrel length:	93 mm
Weight w/o magazine:	650 g
Weight w empty magazine:	730 g
Standard magazine capacity:	12



# K22 & CP22



## K22

Caliber:	.22 LR
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	211.5 mm
Height without magazine:	133.5 mm
Width:	36 mm
Barrel length:	127 mm
Weight w/o magazine:	670 g
Weight w empty magazine:	720 g
Standard magazine capacity:	10

The K22 is a semi-automatic pistol chambered in the affordable .22LR caliber. It offers a solid steel frame, slide, and a bull barrel for longevity and reliability. The grip, four interchangeable backstraps, fully ambidextrous controls, sights and accessory options are shared with our 9mm pistols for easy adaptability as a training tool that allows the shooter to train more for less.



## CP22

Caliber:	.22 LR
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	173 mm
Height without magazine:	131 mm
Width:	36 mm
Barrel length:	94 mm
Weight w/o magazine:	595 g
Weight w empty magazine:	645 g
Standard magazine capacity:	10

The CP22. Built to the very same standards and from the same materials as all of our rimfire pistols, the CP22 is the most compact .22LR pistol in our portfolio. Built on the P11-sized polymer frame, we managed to maintain fully ambidextrous controls and a steel slide, frame, and a threaded bull barrel equipped with a knurled thread protector. Despite the small size, you get a durable and reliable pistol in an affordable caliber.





# K22 TS

The K22 TS, with TS standing for Target Sport, is our answer to suggestions from long range rimfire shooters while maintaining the benefits of other GRAND POWER rimfire pistols.

The K22 TS is manufactured in three barrel length variants, 5", 6", and 8" to accommodate shooters needs as well as local legislation. A long barrel provides excellent accuracy and is equipped with a fully adjustable micrometric-type rear sight and a fiber optic front sight. The barrel is threaded for accessories, with a thread protector included as standard.

Our crisp DA/SA trigger is famous for its short reset and further enhances accuracy of follow-up shots.

A unique, lightened slide design reduces the reciprocating mass while still being milled out of a single piece of steel, unlike many other rimfire handguns, which provides great reliability and longevity. An unobstructed ejection port allows easy manipulation, for example in case of ammo malfunction of the sometimes finicky .22LR ammo. To further increase the durability of the K22 TS it is built from the same parts as our larger caliber pistols, such as a steel frame insert and the Mk12 polymer frame. Owners of other GRAND POWER pistols will appreciate the familiar layout of the controls which are identical to our full-sized pistols, making the K22 TS a great training tool. The K22 TS can also be fitted with many parts used to customize your larger caliber GRAND POWER pistols. It features an accessory rail to mount lights, lasers, or other accessories. An interchangeable backstrap covers the lanyard hole while the enlarged safety levers provide a thumb rest and can be replaced by lower profile ones.



Caliber:	.22 LR
Trigger mechanism:	DA/SA
Trigger pull weight:	30-35 N/15-18 N
Overall length:	237.5 mm (6" version)
Height without magazine:	144 mm
Width:	48 mm
Barrel length:	5" / 6" / 8"
Weight w/o magazine:	712 g
Weight w empty magazine:	760 g
Standard magazine capacity:	10

# P40 & P40L 10MM AUTO



## P40

Caliber:	10mm AUTO
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	206.5 mm
Height without magazine:	135.5 mm
Width:	36 mm
Barrel length:	108 mm
Weight w/o magazine:	770 g
Weight w empty magazine:	880 g
Standard magazine capacity:	14

The P40 offers a unique rotating barrel mechanism for those who prefer shooting the powerful 10mm AUTO. Built on the latest generation of our ergonomic polyamide frame which is more robust than the standard Mk12 frame, strengthened to withstand regular use of 10mm ammunition. The new rounded slide provides excellent handling and ergonomics.



## P40L 10MM AUTO

Caliber:	10mm AUTO
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	228 mm
Height without magazine:	136 mm
Width:	36 mm
Barrel length:	127 mm
Weight w/o magazine:	875 g
Weight w empty magazine:	972 g
Standard magazine capacity:	14

The longer P40L model makes for even more accurate shooting due to a longer sight radius while the increased mass shifts the center of gravity towards the muzzle to further reduce muzzle flip, which makes shooting 10mm an enjoyable experience.





# P380, CP380 & LP380



## P380

The P380 is a self-loading pistol chambered in .380 ACP caliber with a DA/SA trigger mechanism, intended mainly for security services and personal protection, especially in jurisdictions that prohibit possession of larger caliber firearms. A robust barrel and a steel frame insert provide a long service life. The pistol operates by direct blowback. The P380 features fully ambidextrous controls and interchangeable backstraps in four sizes.

Caliber:	.380 ACP
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	189 mm
Height without magazine:	133.5 mm
Width:	36 mm
Barrel length:	105 mm
Weight w/o magazine:	720 g
Weight w empty magazine:	780 g
Standard magazine capacity:	15



## CP380

The CP380 is a sub-compact version of our P380 designed mainly for personal protection. The CP380 is a lightweight, reliable, and accurate pistol ideal for everyday carry.

Caliber:	.380 ACP
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	179 mm
Height without magazine:	118 mm
Width:	36 mm
Barrel length:	85 mm
Weight w/o magazine:	640 g
Weight w empty magazine:	737 g
Standard magazine capacity:	12



## LP380

The LP380 in .380 caliber is a full-sized pistol offering a superior feel and performance to every user. No matter if carried on duty, for personal protection, or used for competition, this model offers reliability, accuracy and top quality.

Caliber:	.380 ACP
Trigger mechanism:	DA/SA
Trigger pull weight:	35-40 N/20-25 N
Overall length:	216 mm
Height without magazine:	133.5 mm
Width:	36 mm
Barrel length:	135 mm
Weight w/o magazine:	791 g
Weight w empty magazine:	886 g
Standard magazine capacity:	15



# STRIBOG SP9A3



A pistol version with an 8" barrel, supplied as a pistol without a stock. The STRIBOG SP9 A3 offers the reliability and ruggedness of the previous generation of STRIBOGS but brings a couple of fundamental improvements in the form of a semi-locked bolt with a delayed action via a transfer roller, and a non-reciprocating charging handle.

## STRIBOG SP9A3



Caliber:	9mm Luger
Trigger mechanism:	SA
Trigger pull weight:	2.7 kg
Overall length:	424 mm
Height without magazine:	200 mm
Width:	57 mm
Barrel length:	8"
Weight w/o magazine:	2.06 kg
Weight w empty magazine:	+53 / +68 / +91 g (10/20/30 round mags)
Standard magazine capacity:	10, 20, 30





# STRIBOG SP9A3S



## SP9A3S

Caliber:	9mm Luger
Trigger mechanism:	SA
Trigger pull weight:	2.7 kg
Overall length:	316/579 mm
Height without magazine:	204 mm
Width:	57/84 mm
Barrel length:	114 mm
Weight w/o magazine:	2.35 kg
Weight w empty magazine:	+53 / +68 / +91 g (10/20/30 rd mags)
Standard magazine capacity:	10, 20, 30

For easy concealability the shortest SP9 A3 S version is available, measuring just 316 mm with the stock folded (without a muzzle device). All internal parts have been designed for reliable function even with a short barrel. The SP9 A3 S is fitted with a threaded barrel with a protective end cap, utilizing a 1/2x28 thread pitch. An FRN folding stock may be replaced by an end cap to further increase concealability.

For such a small package we managed to retain a lot of accessory rail real estate at the 12 and 6 o'clock positions as well as M-LOK slots at the 3 and 9 o'clock. This allows the user to mount red dots, lights, lasers, grips and other accessories the user may want.



# STRIBOG SR9A3



## SR9A3

Caliber:	9mm Luger
Trigger mechanism:	SA
Trigger pull weight:	2.7 kg
Overall length:	761/475 mm
Height without magazine:	200 mm
Width:	57 mm
Barrel length:	10"
Weight w/o magazine:	2.46 kg
Weight w empty magazine:	+53 / +68 / +91 g (10/20/30 rd mags)
Standard magazine capacity:	10, 20, 30

A carbine version with a 10" barrel and a folding or telescopic stock from the STRIBOG family offering an M-LOK interface as well as picatinny rails for accessories. No matter if used for competition, home defense, or just fun at the range, the SR9 A3 is a solid pistol caliber carbine that is built to last, open to modifications and customizable by many available accessories.



# STRIBOG RSR9A3



Caliber:	9mm Luger
Trigger mechanism:	SA
Trigger pull weight:	2.7 kg
Barrel length:	13" and 16"
Height without magazine:	200 mm
Width:	57 mm
Overall length:	13" 850/564 mm 16" 915/629 mm
Weight w/o magazine:	2.53 / 2.60 kg
Weight w empty magazine:	+53 / +68 / +91 g (10/20/30 rd mags)
Standard magazine capacity:	10, 20, 30

A rifle version available with 13" and 16" barrel lengths, the RSR is aimed at competition shooters who can utilize the benefits of longer barrels and more control over the gun during target transitions with an optional extended handguard. The longer barrel also allows for more accurate shooting at extended distances found at PCC matches.

The Gen2 upgrade combines a significantly shorter and lighter upper receiver with our new octagonal handguard for excellent control of the gun movement in sport shooting disciplines such as IPSC PCC.

## RSR9A3





# STRIBOG TR22



## TR22

Chambered in .22LR, the STRIBOG TR22 is available in 10", 12", and 16" barrel lengths. It can serve as a dedicated training tool for the STRIBOG line as well as a plinking and recreational gun for the entire family. We managed to maintain the same controls, materials and overall feel of our 9mm STRIBOGs and replicate the durability and reliability of our famous K22 in an affordable package that will last a lifetime. A bull barrel and full compatibility with the majority of STRIBOG accessories and aftermarket parts are a matter of course.

Caliber:	.22LR
Trigger mechanism:	SA
Trigger pull weight:	2.7 kg
Overall length:	720/770/885 mm
Height without magazine:	200 mm
Width:	57 mm
Barrel length:	10"/12"/16.5"
Weight w/o magazine:	2335g/2400g/2530g
Standard magazine capacity:	25



# STRIBOG ACCESSORIES



Adjustable iron sights



Collapsible stock




Folding stock



AR-type stock adapter



Ambidextrous charging handle



Picatinny QD backplate



Tailhook adapter



Vertical grip




Set of steel sights



Octagonal handguard M-LOK

# PISTOL SIGHTS

Various combinations of front and rear sights are available, various front sight sizes are available.  
Please check sights version compatibility with your pistol model.



Vortex Venom  
Docter Noblex  
Meopta MeoRed 30

Trijicon RMR

C-More STS2

Shield SMS





# MODIFICATIONS



1.



2.



3.

DECOCKER allows the hammer to be dropped on a live cartridge without risk of discharging it. Decocker is a factory installed option for selected models only.



1. Safety lever delete kit
2. Standard safety lever
3. Enlarged sport safety lever



Optional 120 and 127 mm barrel lengths are available.

# MAGAZINES



9x19 12rds



9x19 15rds



9x19 20rds



P40 10mm



STRIBOG TR22  
25rds



380ACP 12rds



380ACP 15rds



CP22 22LR 10 rds



K22 22LR 10rds



STRIBOG  
Curved magazine



STRIBOG 10rds



STRIBOG 20rds



STRIBOG 30rds

# MK12 GRIP



Lanyard loop



A



B



C



D




For selected pistol models, an advanced Mk 12 polymer grip is available, offering four interchangeable backstraps to fit any shooter, as well as an integral lanyard loop.



# BARREL BLANKS

GRAND POWER s.r.o. is proud to manufacture barrels via button rifling for its own weapons production as well as for third parties both as finished barrels and as barrel blanks. State of the art button rifling technology and machines built specifically for our company, combined with quality 31CrMoV9 steel are the basis of the excellent quality we are known for. High-temperature H13 steel specially designed for highly stressed automatic weapons barrels is also available.



# EXTREME RESISTANCE



One of GRAND POWER'S K100 pistols, serial number B000776 was randomly selected for durability testing, conducted at a public shooting range in Zvolen, Slovakia. The pistol was available for range visitors for testing with a wide variety of ammunition. The pistol went an impressive 112 470 rounds without any major parts failures and no change to bore geometry or accuracy. K100 = a hundred thousand shots.



# SP9A3G & SP9A3SG



## SP9A3G & SP9A3SG



The SP9A3G version of the STRIBOG is GRAND POWER's answer to countless requests from our customers. The SP9A3G accepts GLOCK – style magazines (double stack) while maintaining all of the great features of our existing STRIBOG line.

While the standard SP9A3G comes with an 8" barrel, the SP9A3SG is a shortened version which features a 5.5" barrel for ultimate compactness and concealability. Both barrel lengths are topped off with a 1/2x28 thread pitch to attach different muzzle devices and suppressors.





# GP R15



The R15 is a rugged, general purpose carbine, featuring forged upper and lower receivers. The R15 FREYA is a dedicated, competition-ready version with a billet upper and lower and extensive lightening cuts. The FREYA further brings an ambidextrous selector, an integral oversized trigger guard, and an improved, cassette-style trigger, making it competition ready out of the box.

Chambered in .223 Remington, the rifles are available in barrel lengths of: 11", 14.5", 16.5", 18" and 20". The barrels are nitrided for exceptional accuracy, longevity, and corrosion resistance. Both versions feature a DI gas system with a piston version planned for the future.

The rifles are equipped with M-LOK® free-float handguards. The standard R15 has M-LOK® slots at the 3, 6, and 9 o'clock positions and a full-length Picatinny rail at 12 o'clock. The FREYA also features an M-LOK® handguard but omits the full-length Picatinny rail for 5-slots of rail near the muzzle for further weight savings and enhanced ergonomics.





GP R15 - FREYA .223





**GRAND POWER s.r.o.**

Príboj 558  
976 13 Slovenská Ľupča  
Slovensko



**[www.grandpower.eu](http://www.grandpower.eu)**